

# What Is a Cool Roof?

A cool roof is a roofing product with high solar reflectance and thermal emittance properties, which help reduce cooling loads by lowering roof temperatures on hot, sunny days. Solar reflectance and thermal emittance are properties of the roofing surface – not of insulation that may be used in conjunction with the roofing material.

Although often light in color, cool roofs come in a wide variety of colors ranging from white to black and including blues, grays, greens, oranges, browns, and tans. Cool roofs also are available in a variety of styles: shingle, shake, tile, membrane, and spray-on liquid coatings.



## Relevant Code Sections

Title 24, Part 6 Building Energy Efficiency Standards:

- [Section 110.8\(i\)](#) – Mandatory Requirements - Roofing Products Solar Reflectance and Thermal Emittance
- [Section 150.1\(c\)11](#) – Prescriptive Standards/Component Package for Low-Rise Residential Buildings, Roof Products
- [Section 150.2\(b\)1H](#) – Energy Efficiency Standards for Alterations to Existing Low-Rise Residential Buildings, Prescriptive Approach, Roofs:
- [Section 150.2\(b\)2](#) – Energy Efficiency Standards for Alterations to Existing Low-Rise Residential Buildings, Performance Approach:

## Relevant Compliance Forms

- [CF1R-ALT-01-E](#): Certificate of Compliance – Residential Alterations
- [CF1R-ENV-04-E](#): Certificate of Compliance – Solar Reflectance Index Calculation Worksheet
- [CF2R-ENV-04-E](#): Installation Certificate for Roofing

# Code Triggers

The Title 24, Part 6 Building Energy Efficiency Standards (Energy Standards) call for a cool roof when:

- The residential project is in an affected climate zone. This varies by roof style. (See Table 1)
- Replacing, recovering or recoating the exterior surface of existing residential roofs when >50% of the roof is replaced



## Solar Reflectance Index

The SRI provides an alternative to meeting solar reflectance and thermal emittance requirements for cool roofs. SRI values are set to a normalized scale that incorporates the effects of both reflectance and thermal emittance.

Generally the higher the SRI, the better the roofing material's ability to reduce heat transfer into the building.

The SRI value is calculated based on:

- The aged solar reflectance and the thermal emittance of the roofing material
- The SRI worksheet also takes inputs for the roof slope

The SRI alternative is useful when a particular product exceeds the Energy Standards requirement for either the aged solar reflectance or the thermal emittance, but does not meet both requirements. In this case the combination of the aged solar reflectance and the thermal emittance for the product may be sufficient to comply with the SRI requirement.

## Qualifying as a Cool Roof

To qualify as a cool roof under the Energy Standards, the roofing material must:

- Have a Cool Roof Rating Council (CRRC) rating for reflectance and thermal emittance
- Meet the aged reflectance and thermal emittance – or Standard Reflectance Index (SRI) – values specified in the Energy Standards (see below)

Roofing products must be tested and labeled by the CRRC. Being included in the ENERGY STAR® list for cool roofing materials is NOT sufficient to meet the Energy Standards.

### Aged Solar Reflectance & Thermal Emittance

Specific aged solar reflectance and thermal emittance values must be met or exceeded for some climate zones and roof types (See Table 1). In areas where cool roofs are required, exceeding minimum requirements for solar reflectance and emittance will reduce cooling loads and may reduce building energy use.

Solar reflectance refers to a material's ability to reflect the sun's energy back into the atmosphere.

Aged solar reflectance is the solar reflectance of the surface after three years, which typically is lower than the initial reflectance value. If the product is new and the aged solar reflectance value is unavailable, you can calculate the aged value using this formula:

$$\text{3-year Aged Solar Reflectance} = [ 0.2 + \beta(\rho_{\text{initial}} - 0.2) ]$$

$\rho_{\text{initial}}$  = Initial Solar Reflectance

$\beta$  = Soiling Resistance by product type:

- Field-Applied Coating  $\beta = 0.65$
- Other  $\beta = 0.70$

**Example:** If the initial solar reflectance value is 0.8 for a field-applied coating

$$\begin{aligned} \text{3-yr Aged Solar Reflectance} &= [ 0.2 + 0.65 (0.8 - 0.2) ] \\ &= 0.2 + 0.39 \\ &= 0.59 \end{aligned}$$

Thermal emittance provides a means of quantifying how much of the absorbed heat is rejected for a given material. The higher the thermal emittance value, the better (the more heat the roofing material emits back to the atmosphere).

**Note:** Aged solar reflectance and thermal emittance values noted in tables below must be derived from CRRC Rated Products Directory. If a roofing product is not CRRC certified, it is assumed to have the following default aged reflectance/emittance values for the Performance approach (CBECC-Res): for asphalt shingles - 0.08/0.75; for all other roofing products - 0.10/0.75.



The following information applies to conditioned (mechanically cooled or heated) residential buildings demonstrating compliance using the Prescriptive approach.

## Requirements

| Roof Style               | Climate zone | Either these reflectance and emittance values |                        | Or this SRI value |
|--------------------------|--------------|---|------------------------|-------------------|
|                          |              | Min. 3-yr Aged Solar Reflectance              | Min. Thermal Emittance | Min. SRI          |
| Low-slope <sup>1</sup>   | 13 & 15      | 0.63  | 0.75                   | 75                |
| Steep-slope <sup>1</sup> | 10 thru 15   | 0.20  | 0.75                   | 16                |

<sup>1</sup> Low-slope = Rise-to-run ratio of 2:12 or less (9.5 degrees or fewer from horizontal).  
Steep-slope = Rise-to-run ratio greater than 2:12 (more than 9.5 degrees from horizontal).

Table 1: Residential Cool Roof Requirements

## Exceptions... Cool roof is NOT required if:

| New Construction and Additions                 |  |
|--|--|
| Any slope                                      | The roof area is covered by building-integrated photovoltaic panels or building-integrated solar thermal panels  |
| Any slope                                      | Building has no ducts in the attic   |
| Any slope                                      | Roof construction has a thermal mass over the roof membrane with a weight of at least 25 lb/ft <sup>2</sup>  |
| Any slope                                      | Roof is on addition ≤300 ft <sup>2</sup>   |
| Alterations where >50% of the roof is replaced |  |
| Steep slope                                    | An air-space of 1.0 inch is provided between top of roof deck and bottom of roofing product  |
| Steep slope                                    | Existing ducts in the attic are insulated and sealed according to §150.1(c)9   |
| Steep slope                                    | Building has a radiant barrier in the attic meeting the requirements of §150.1(c) This includes green roofs (roofs that are covered with vegetation) weighing at least 25 lb/ft <sup>2</sup> , though any portion of the roof not covered with vegetation will need to comply with cool roof requirements if not otherwise exempt. |
| Steep slope                                    | Building has at least R-38 ceiling insulation  |
| Steep slope                                    | Roofing product profile ratio of rise to width is at least 1:5 for ≥50% of the width of the roofing product  |
| Steep slope                                    | R-2 or greater insulation above the roof deck in Climate Zones 10-15   |
| Low slope                                      | The aged solar reflectance can be traded off with additional insulation added at the roof deck as per Table 150.2-B (See Table 3)  |

Table 2: Exceptions

| Aged Solar Reflectance | Roof Deck Insulation R-value |
|------------------------|------------------------------|
| 0.62 - 0.60            | 2                            |
| 0.59 - 0.55            | 4                            |
| 0.54 - 0.50            | 6                            |
| 0.49 - 0.45            | 8                            |
| 0.44 - 0.40            | 12                           |
| 0.39 - 0.35            | 16                           |
| 0.34 - 0.30            | 20                           |
| 0.29 - 0.25            | 24                           |

Table 3: Values from Table 150.2-B



# Forms – Which & When

In addition to a Permit, you will need the following.

## During Design:

- **CF1R-NCB-01-E:** Prescriptive newly constructed building form
  - Roofing Products, Cool Roof (Part G, Page 3 of 7)
    - Completed and signed by the contractor or design professional
    - Submitted to the building department by the contractor or the homeowner
- **CF1R-ALT-01-E:** Certificate of Compliance - Residential Alterations
  - General information (Part A, Page 1 of 4)
  - Roofing Replacement (Part C, Page 1 of 4)
  - Declaration Statement (Page 4 of 4)
    - Completed and signed by the contractor
    - Submitted to the building department by the contractor or the home owner

**Why?:** To show compliance with energy code for cool roof

**Notes:** Check with your local building department to determine if they have alternate documentation options.

- (Optional) **CF1R-ENV-04-E:** Certificate of Compliance – Solar Reflectance Index Calculation Worksheet
  - Completed and signed by the contractor
  - Submitted to the building department by the contractor or the home owner

**Why?:** To show compliance with cool roof Prescriptive requirements, where applicable

## During Construction:


- **CF2R-ENV-04-E:** Installation Certificate for Roofing
  - Radiant Barrier Information (page 1 of 3)
  - Description of Roofing Products (2 of 3)
  - Declaration Statement (Page 3 of 3)
    - Completed and signed by the installing contractor
    - Made available for final inspection by building department

**Why?:** To verify the field installation meets or exceeds code

**Notes:** CRRC label(s) should be attached to the **CF2R-ENV-04-E** form

## Product Labeling:

- For all roofs:
  - CRRC label specifying the initial and aged (“weathered”) solar reflectance and thermal emittance
- For liquid-applied roof coatings applied to low-sloped roofs:
  - CRRC label specifying the initial and aged (“weathered”) solar reflectance and thermal emittance
  - Label stating the product meets the ASTM requirements specified in [Section 110.8\(i\)4](#) of the Energy Standards.
- Product labeling must be available for final inspection by building department.

|  |                          |                  |                |
|--|--------------------------|------------------|----------------|
|    | <b>Initial</b>           | <b>Weathered</b> |                |
|  | <b>Solar Reflectance</b> | <b>0.00</b>      | <b>Pending</b> |
|  | <b>Thermal Emittance</b> | <b>0.00</b>      | <b>Pending</b> |
|  | Rated Product ID Number  | -----            |                |
| Licensed Seller ID Number  | -----                    |                  |                |
| Classification   | Production Line          |                  |                |
| <small>Cool Roof Rating Council ratings are determined for a fixed set of conditions, and may not be appropriate for determining seasonal energy performance. The actual effect of solar reflectance and thermal emittance on building performance may vary.</small> |                          |                  |                |
| <small>Manufacturer of product stipulates that these ratings were determined in accordance with the applicable Cool Roof Rating Council procedures.</small>  |                          |                  |                |



# For More Information

## Primary Documents

- Energy Standards Section 110.8(i) - Mandatory Requirements - Roofing Products Solar Reflectance and Thermal Emittance:  
[energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1108mandatoryrequirementsforinsulationroofingproductsandr.htm#sec110\\_8i4](http://energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1108mandatoryrequirementsforinsulationroofingproductsandr.htm#sec110_8i4)
- Energy Standards Section 150.1(c)11 – Prescriptive Standards/Component Package for Low-Rise Residential Buildings, Roof Products:  
[energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1501performanceandprescriptivecomplianceapproachesforlowr.htm#sec150\\_1\\_c11](http://energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1501performanceandprescriptivecomplianceapproachesforlowr.htm#sec150_1_c11)
- Energy Standards Section 150.2(b)1H – Energy Efficiency Standards for Alterations to Existing Low-Rise Residential Buildings, Prescriptive Approach, Roofs:  
[energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1502energyefficiencystandardsforadditionsandalterationsto.htm#sec150\\_2\\_b1H](http://energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1502energyefficiencystandardsforadditionsandalterationsto.htm#sec150_2_b1H)
- Energy Standards Section 150.2(b)2 - Energy Efficiency Standards for Alterations to Existing Low-Rise Residential Buildings, Performance Approach:  
[energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1502energyefficiencystandardsforadditionsandalterationsto.htm#sec150\\_2\\_b2](http://energycodeace.com/site/custom/public/reference-ace-2016/Documents/section1502energyefficiencystandardsforadditionsandalterationsto.htm#sec150_2_b2)

## Cool Roof Products and Specifications

- CRRR Rated Products Directory:  
[coolroofs.org/products/results](http://coolroofs.org/products/results)
  - Search for rated roofing products
- Solar Reflectance Index (SRI) calculator:  
[energy.ca.gov/title24/2013standards/documents/solar\\_reflectance/](http://energy.ca.gov/title24/2013standards/documents/solar_reflectance/)
  - Use to determine the SRI value for a specific product

## California Energy Commission Information & Services

- Energy Standards Hotline: 1-800-772-3300 (Free) or [Title24@energy.ca.gov](mailto:Title24@energy.ca.gov)
- Online Resource Center:  
[energy.ca.gov/title24/orc/](http://energy.ca.gov/title24/orc/)
  - The Energy Commission’s main web portal for Energy Standards, including information, documents, and historical information

## Additional Resources

- Energy Code Ace:  
[EnergyCodeAce.com](http://EnergyCodeAce.com)

An online “one-stop-shop” providing free resources and training to help appliance and building industry professionals decode and comply with Title 24, Part 6 and Title 20. The site is administered by California’s investor-owned utilities.

Please register with the site and select an industry role for your profile in order to receive messages about all our free offerings!



This program is funded by California utility customers under the auspices of the California Public Utilities Commission and in support of the California Energy Commission. © 2017 Pacific Gas and Electric Company, San Diego Gas and Electric, Southern California Gas Company and Southern California Edison. All rights reserved, except that this document may be used, copied, and distributed without modification. Neither PG&E, Sempra, nor SCE — nor any of their employees makes any warranty, express or implied; or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any data, information, method, product, policy or process disclosed in this document; or represents that its use will not infringe any privately-owned rights including, but not limited to patents, trademarks or copyrights.



City of Oakley – Simplified **CF1R-ALT-01-E** form for Reroofing

Permit Number \_\_\_\_\_ Address \_\_\_\_\_

*This form shall be filled out and signed by the installing contractor. Submit this form along with the permit application to obtain a permit. The original copy is retained by the Building Department. Keep the other copy with your permit.*

*Fill out the requested information in the Roofing Material Section.*

*Fill out the Declaration Statement section completely including signature and date.*

**QUESTIONS? REQUEST ASSISTANCE FROM THE PERMIT TECH. Energy Hotline 1-800-772-3300**

**Alternatives to Cool Roof** if you do not have these features fill out the roofing product information below.

|   |  |
|---|--|
| <input type="checkbox"/> Roof Pitch is less than 2:12   | <input type="checkbox"/> Area to be reroofed is < 50% of total roof area. Area of roof: _____ Reroof area: _____ |
| <input type="checkbox"/> There is an attic radiant barrier.   |  |
| <input type="checkbox"/> There are no ducts in the attic.   |  |
| <input type="checkbox"/> Ducts in the attic have been HERS – verified to be sealed to ≤ 6% leakage and insulated to ≥ R-6.  |  |
| <input type="checkbox"/> There is at least R-38 ceiling insulation. Insulation Certificate required.  |  |
| <input type="checkbox"/> There is at least R-4 insulation above the roof deck. Product information must be submitted for permit issuance.                                 |  |
| <input type="checkbox"/> The installed roofing product has a profile ratio of rise to width of 1 to 5 for 50% or greater of the width of the roofing product. (i.e. Tile) |  |
| <input type="checkbox"/> There is at least a 1.0 inch air-space between the top of the roof deck and the bottom of the roofing product.                                   |  |

**Roofing Products**

*When the area of exterior roof surface to be replaced exceeds 50% of the existing roof area, or 1,000 sq. ft. Whichever is less, the new roofing area must meet the roofing product “Cool Roof” requirements of 110.8, 150.2 (b) 1 H*

| CRRC Product Number <sup>1</sup> | Roof Slope |       | Product Weight        |                       | Product Type <sup>2</sup> | Aged Reflectance <sup>3,4</sup> |                            | Thermal Emittance | S.R.I. <sup>5</sup> |
|----------------------------------|------------|-------|-----------------------|-----------------------|---------------------------|---------------------------------|----------------------------|-------------------|---------------------|
|                                  | <2:12      | >2:12 | <25lb/ft <sup>2</sup> | >25lb/ft <sup>2</sup> |                           | <input type="checkbox"/> 4      | <input type="checkbox"/> 4 |                   |                     |
|                                  |            |       |                       |                       |                           | <input type="checkbox"/> 4      |                            |                   |                     |
|                                  |            |       |                       |                       |                           | <input type="checkbox"/> 4      |                            |                   |                     |

1. CRRC-1 label information is available on the package of the roofing product being installed and please attach the CRRC label to this form.
2. Indicate the type of product used for the roof. i.e. single ply roof, asphalt roof, metal roof, etc.
3. If the aged reflectance is not available in the Cool Roof Council’s Rated Product Directory then use the INITIAL Reflectance value from the same directory and use the equation  $(0.2+0.7(p_{initial}-0.2))$  to obtain a calculated aged value. Where p is the initial solar reflectance.
4. Check box if the aged reflectance is a calculated value using the equation above.

*To apply **Liquid Field Applied Coatings**, the coating must be applied across the entire roof surface and meet dry mil thickness or coverage recommended by the coatings manufacturer and meet minimum performance requirements listed in 110.8-B*

|  |  |                                |
|--|--|--------------------------------|
| <input type="checkbox"/> Aluminum Pigmented Asphalt Roof Coating | <input type="checkbox"/> Cement Based Roof Coating | <input type="checkbox"/> Other |
|--|--|--------------------------------|

**Responsible Party Declaration Statement.**

- I certify that the energy features and performance specifications for the building design identified on this Certificate of Compliance conform to the requirements of Title 24, Parts 1 and 6 of the California Code of Regulations.
- The building design features identified on this Certificate of Compliance are consistent with the information provided to document this building design on the other applicable compliance forms, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit.

|                 |            |
|-----------------|------------|
| Name:           | Signature: |
| Company:        | Date:      |
| Address:        | License    |
| City/State/Zip: | Phone:     |



|                             |                                    |                 |
|-----------------------------|------------------------------------|-----------------|
| CERTIFICATE OF INSTALLATION |                                    | CF2R-ENV-05-E   |
| Roofing and Cool Roofs      |                                    | (Page 1 of 2)   |
| Project Name:               | Enforcement Agency: City of Oakley | Permit Number:  |
| Dwelling Address:           | City: Oakley                       | Zip Code: 94561 |

*If more than one person has responsibility for installation of the items on this certificate, each person shall prepare and sign a certificate applicable to the portion of construction for which they are responsible. Alternatively, the person with chief responsibility for construction shall prepare and sign this certificate for the entire construction. The signer agrees that all applicable Mandatory Measures were met. Temporary labels are not to be removed before verification by the building inspector.*

| A. COOL ROOF PRODUCT |                     |                        |                   |     |                        |                   |     |
|----------------------|---------------------|------------------------|-------------------|-----|------------------------|-------------------|-----|
| 1                    | 2                   | 3                      | 4                 | 5   | 6                      | 7                 | 8   |
| Installed Brand Name | Liquid Coating Type | Required               |                   |     | Installed              |                   |     |
|                      |                     | Aged Solar Reflectance | Thermal Emittance | SRI | Aged Solar Reflectance | Thermal Emittance | SRI |
|                      |                     |                        |                   |     |                        |                   |     |
|                      |                     |                        |                   |     |                        |                   |     |

If using a liquid coating, indicate whether the type is: (a) Aluminum-Pigmented Asphalt Roof Coating, (b) Cement-Based Roof Coating, or (c) Other.

| B. RADIANT BARRIER |                   |
|--------------------|-------------------|
| 1                  | 2                 |
| Brand Name         | Installation Type |
|                    |                   |

NOTE: Radiant barrier must be installed on gable ends and all other vertical surfaces in the attic.

Installation types are: (1) attached to underside of roof deck, (2) attached to bottom of truss/rafters, (3) attached between truss/rafters, or (4) draped over top of truss/rafters

| C. MANDATORY REQUIREMENTS |   |
|---------------------------|---|
| <b>Roofing Products</b>   | 1. <b>Certification &amp; Labeling</b> , Sections 10-113; 110.8(i): Products must be listed with the Cool Roof Rating Council (CRRC) to use the emittance, reflectance or SRI numbers.  |
|                           | 2. <b>Defaults for Noncertified Asphalt Shingles</b> , Section 110.8(i)1A: Asphalt Shingles not listed with the CRRC must use default solar reflectance/thermal emittance values of 0.08/0.75.  |
|                           | 3. <b>Defaults for all Other Noncertified Roofing Products</b> , Section 110.8(i)1B: Products not listed with the CRRC must use the default solar reflectance/thermal emittance values of 0.10/0.75.  |
|                           | 4. <b>No CRRC Testing for aged solar reflectance</b> , Section 110.8(i)2: if aged CRRC numbers are not available then calculate aged solar reflectance from formula: <ul style="list-style-type: none"> <li>• <math>\rho_{aged} = [0.2 + \beta(\rho_{initial} - 0.2)]</math>, where <math>\rho_{initial}</math> = initial solar reflectance</li> <li>• soiling resistance: <math>\beta = 0.65</math> for Field-Applied Coating; <math>\beta = 0.70</math> all other roofing products</li> </ul> |
|                           | 5. <b>Solar Reflectance Index (SRI)</b> , Section 110.8(i)3: SRI values must be calculated using form CF1R-PRSC-WS-04, Cool Roof and SRI Worksheet  |
|                           | 6. <b>Liquid Applied Coatings</b> , Section 110.8(i)4: Liquid applied coatings must be applied to the dry mill thickness as required by the manufacturer. The material must meet performance requirements of TABLE 110.8-C.   |
| <b>Radiant Barrier</b>    | 7. <b>Emittance &amp; Certification</b> , Section 110.8(j): Radiant Barrier shall have an emittance of 0.05 or less, be tested with ASTM C1371 or ASTM E408; certified and listed with Department of Consumer Affairs, Standards for Insulating Material.   |

Attach CRRC label to this form:



|                             |                                    |                |
|-----------------------------|------------------------------------|----------------|
| CERTIFICATE OF INSTALLATION |                                    | CF2R-ENV-05-E  |
| Roofing and Cool Roofs      |                                    | (Page 2 of 2)  |
| Project Name:               | Enforcement Agency: City of Oakley | Permit Number: |
| Dwelling Address:           | City Oakley                        | Zip Code 94561 |

**DOCUMENTATION AUTHOR'S DECLARATION STATEMENT**

1. I certify that this Certificate of Installation documentation is accurate and complete.

|                 |  |
|-----------------|--|
| Name:           | Signature:   |
| Company:        | Date:  |
| Address:        | CEA or CEPE or HERS Certification # If Applicable: |
| City/State/Zip: | Phone:   |

**RESPONSIBLE PERSON'S DECLARATION STATEMENT**

- I certify under penalty of perjury, under the laws of the State of California, the information provided on this form is true and correct.
- I am eligible under Division 3 of the Business and Professions Code to accept responsibility for construction, or an authorized representative of the person responsible for construction (responsible person).
- I certify that the installed features, materials, components, or manufactured devices identified on this certificate (the installation) conforms to all applicable codes and regulations, and the installation is consistent with the plans and specifications approved by the enforcement agency.
- I reviewed a copy of the Certificate of Compliance (CF1R) approved by the enforcement agency that identifies the specific requirements for the installation. I certify that the requirements detailed on the CF1R that apply to the installation have been met.
- I will ensure that a completed, signed copy of this Certificate of Installation shall be posted, or made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a signed copy of this Certificate of Installation is required to be included with the documentation the builder provides to the building owner at occupancy.**

Company Name: (Installing Subcontractor or General Contractor or Builder/Owner)

|                            |                                 |
|----------------------------|---------------------------------|
| Responsible Person's Name: | Responsible Person's Signature: |
| CSLB License:              | Date Signed:                    |
|                            | Position With Company (Title):  |



## CITY OF OAKLEY BUILDING PERMIT APPLICATION

JOB ADDRESS: \_\_\_\_\_ SUBDIV # \_\_\_\_\_ LOT # \_\_\_\_\_

PROJECT DESCRIPTION \_\_\_\_\_

PROJECT VALUATION: \$ \_\_\_\_\_ SEPTIC SYSTEM: YES  NO

PERMIT TYPE: BUILDING  MECHANICAL  ELECTRICAL  PLUMBING  SIGN   
DEMO  REROOF  POOL/SPA  -- Encroachment Permit Y/N Re-locate A/C Y/N

LIVING AREA SQ FT: \_\_\_\_\_ DECK/PORCHES SQ FT: \_\_\_\_\_ GARAGE SQ FT: \_\_\_\_\_

PROPERTY OWNER: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_ PHONE #: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_ STATE LIC #: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_ PHONE # \_\_\_\_\_

ARCH/ENGR: \_\_\_\_\_ LIC # \_\_\_\_\_ PHONE # \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_

PROJECT MANAGER: \_\_\_\_\_ PHONE #: \_\_\_\_\_

### Permitted work hours:

Operate or perform construction or repair (which creates noise) within or adjacent to a residential land use district except during the following hours:

1. Monday through Friday: 7:30 am to 7:00 pm
2. Saturdays, Sundays & holidays: 9:00 am to 7:00 pm

Initial: \_\_\_\_\_

**ALL PERMITS REQUIRE A FINAL INSPECTION**

**ALL PERMITS HAVE AN EXPIRATION DATE, 365 DAYS FROM LAST VALID INSPECTION**



## CITY OF OAKLEY BUILDING PERMIT APPLICATION

### LICENSED CONTRACTORS DECLARATION

I hereby affirm that I am licensed under the provisions of Chapter 9 (commencing with section 7000) of the Business & Professions Code, & my license is in full force & effective. Initial: \_\_\_\_\_

### WORKMAN'S COMPENSATION

I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Worker's Compensation Insurance, or a certified copy thereof (sec. 3800 lab C) Initial: \_\_\_\_\_

### EXEMPTION FROM WORKER'S COMPENSATION INC

I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Worker's Comp Laws of California Initial: \_\_\_\_\_

**NOTICE TO THE APPLICANT: *If after making this Certificate of Exemption, you should become subject to the Worker's Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.***

### OWNER-BUILDER DECLARATION

I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec7031.5), Business & Professions Code: Any City or County which requires a permit to construct, altar, improve, demolish or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9(commencing with Section 7000) of Division 3 of the Business & Professions Code) or that he is exempt there from & the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars(\$500).

- I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business & Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, &who does such work himself or through his own employees. Provided that such improvements are not intended or offered for sale. If, however, the building improvement is sold within one year of completion, the owner/builder will have the burden of proving that he did not build or improve for the purpose of sale)
- I, as the owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec 7044 Business & Professions Code: The Contractor's License Law does not apply to an owner of property who builds/improves thereon, & who contracts for such project with a contactor(s) licensed pursuant to the Contractor's License Law)
- I am exempt under Sec. \_\_\_\_\_ Business & Professions Code for this reason.  
Applicant:\_\_\_\_\_

**NOTICE TO APPLICANT** I certify that I have read this application & state that the information on the permit is correct. I agree to comply with all City and County ordinances and state laws relating to building construction and hereby authorize representatives of this city to enter upon the above mentioned property for inspection purposes.

### **SECTION 106.4.4 UNIFORM BUILDING CODE**

Expiration: Every permit issued by the Building Official under the provisions of this code shall expire by limitation and become null & void, if the building or work authorized by such permit is not commenced with 180 days from the date of such permit, or if the building or work authorized by such permit is suspended or abandoned at any time after the work is commenced for a period of 180 days.

APPLICANT/AGENT \_\_\_\_\_

DATE: \_\_\_\_\_



City of Oakley  
3231 Main Street  
Oakley, CA 94561  
Ph. 925-625-7000  
Fax. 925-679-1707  
www.oakleyinfo.com

### Oakley C&D Waste Management Plan

Oakley requires at least 65% diversion (Per CalGreen) of the job-site waste materials from the landfill for the following covered projects:

- Any residential or commercial remodeling or building project where total costs are valued at \$30,000 or greater; or
- Any City-owned or City-sponsored project regardless of permit value; or
- Any residential or commercial demolition project regardless of permit value; or
- Any newly constructed residential building three stories or less, and non-residential occupancies. (CalGreen Sections 4.408 and 5.408); or
- Any residential or commercial roofing or re-roofing project regardless of permit value.

1. Identify the Property Owner/Project Manager:

Permit Holder: \_\_\_\_\_ Phone: \_\_\_\_\_ Cell: \_\_\_\_\_

Email Address: \_\_\_\_\_ Fax: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Permitted Project Address: \_\_\_\_\_

City Permit #: \_\_\_\_\_ Person Submitting Request: \_\_\_\_\_

2. Identify the type of materials to be recycled, salvaged, or disposed from the job-site in Section I on the Waste Management Report on the back of this page.
3. Identify how materials will be handled, who will haul, and what facility the materials will be sent in Section I on the Waste Management Report on the back of this page.
4. Identify how the materials will be diverted in Section I on the Waste Management Report on the back of this page.



Mt. Diablo Resource Recovery

Trusted. Proven. Essential.

# EXCLUSIVITY ALERT!

**Mt. Diablo Resource Recovery is the exclusive debris  
box provider for the City of Oakley.**



*Pursuant to Oakley Municipal Code: 4.20*

**ORDER TODAY!  
(925) 682-9073**

Mt. Diablo Resource Recovery (MDRR) has an exclusive contract to provide debris box service to businesses, residents, and contractors within the city of Oakley.

[www.mdr.com/debris-box](http://www.mdr.com/debris-box)

5. If Claiming Infeasibility (Project materials are not reusable or recyclable.) please explain

---



---



---



---

**Applicant Acknowledgement**

I certify that I am or are using a Contractor acting as a Self Hauler as defined in Oakley Municipal Code Section 4.20.308. I further agree to not hire or sub out a second Contractor to act as a Self Hauler.

Applicants Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Use of Mount Diablo Resource Recovery Applicant Acknowledgement**

I certify that I am using Mount Diablo Resource Recovery as my Construction and Demolition Debris hauler on the above referenced address/addresses.

Applicants Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**\*\*\* Retain all correspondence for submittal with the Final Report. \*\*\***

|   |  |
|---|--|
| <i>City Use Only</i>  |  |
| <input type="checkbox"/> Approved<br><input type="checkbox"/> Waiver<br><input type="checkbox"/> Not Approved |  |
| Reason: _____   |  |
| Date: _____ Staff Initials: _____   |  |

